

Articolo

401.3287
 PRESA INC.OMNIA C/FUS.3P+N 32A 6H IP44

Immagine**Anagrafica**

Minimo ordinabile	1 NR
Peso Netto	0.917 KG
Codice EAN	8001636111131
Codice INTRASTAT	85366990

TechData

Descrizione sintetica	PRESA INTERBLOCCATA
Serie commerciale	Serie OMNIA
Grado di protezione	IP44
Flangia	136X125MM
Corrente nominale	32A
Poli	3P+N+T
Frequenza d'impiego	50Hz
Frequenza d'impiego	60Hz
Tensione nominale	346-415V
Colore	ROSSO
Riferimento Orario	6h

Marchi e Certificazioni

UE
 Dichiarazione di conformità



I.M.Q. - ENEC 03
 European Norms Electrical Certification



CCC (China)
 China Compulsory Certification mark

Norme e Leggi

EN 60309-1 (1999)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2 (1999)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60309-1/A1 (2007)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2/A1 (2007)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60309-4 (2007)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Switched socket-outlets and connectors, with or without interlock



EN 60309-1/A2 (2012)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2/A2 (2012)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60309-4/A1 (2012)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. - Switched socket-outlets and connectors, with or without interlock

Packaging

Descrizione	Cartone
Quantità	-
Codice EAN	8001636532394
Peso lordo	-
Volume	20527,5 CCM
Dimensioni	255x460x175 (MM)

Allegati



Istruzioni per l'utilizzo



Disegno tecnico [DWG]



Disegno tecnico [PDF]



Disegno tecnico [STP]

Note:



Complete di viti di fissaggio in acciaio inox.



Fusibili non forniti







Articoli Collegati:



572.0200

SCATOLA 160x149x72mm

	572.0220	CORNICE IP55 174x163x19mm
	572.0310	SCATOLA IP67 135x125x70mm
	572.0330	CALOTTA DI PROTEZIONE OMNIA
	572.M0310	SCATOLA IP67 135x125x70mm