

Articolo

563.1683
 PRESA ADVANCE 2 2P+T 16A 6h IP67 C/FUS

Immagine**Anagrafica**

Minimo ordinabile	1 NR
Peso Netto	0.98 KG
Codice EAN	8001636154220
Codice INTRASTAT	85366990

TechData

Descrizione sintetica	PRESA INTERBLOCCATA
Grado di protezione	IP66/IP67
Serie commerciale	Serie ADVANCE 2
Flangia	106X240MM
Uscita cavo	M25X1,5
Corrente nominale	16A
Poli	2P+T
Frequenza d'impiego	50Hz
Frequenza d'impiego	60Hz
Tensione nominale	200-250V
Colore	BLU
Riferimento Orario	6h

Marchi e Certificazioni

CCC (China)
 China Compulsory Certification mark



I.M.Q. - ENEC 03
 European Norms Electrical Certification



UE
 Dichiarazione di conformità

Norme e Leggi

EN 60309-1 (1999)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2 (1999)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60309-1/A1 (2007)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2/A1 (2007)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60309-4 (2007)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Switched socket-outlets and connectors, with or without interlock



EN 60309-1/A2 (2012)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2/A2 (2012)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60309-4/A1 (2012)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. - Switched socket-outlets and connectors, with or without interlock

Packaging

Descrizione	Cartone
Quantità	
Codice EAN	8001636586083
Peso lordo	13,8 KG
Volume	70840 CCM
Dimensioni	280x440x575 (MM)
Descrizione	Scatola
Quantità	1
Codice EAN	8001636586076
Peso lordo	1,15 KG
Volume	4743,75 CCM
Dimensioni	115x275x150 (MM)

Allegati



Istruzioni per l'utilizzo



Disegno tecnico [DWG]

.dwg



Disegno tecnico [PDF]

.pdf



Disegno tecnico [STP]

.stp

Note:

- >
Ingresso aperto filettato
x


- >
Pressacavo incluso
x

- >
Tappo/passacavo filettato incluso
x

- >
Fusibili non forniti
x

- >
Complete di viti di fissaggio in acciaio inox.
x

Articoli Collegati:

	576.4300	SUPPORTO MODULARE 106 COMPATTO ADV2
--	----------	-------------------------------------

Articolo

563.1683
 PRESA ADVANCE 2 2P+T 16A 6h IP67 C/FUS

Immagine**Anagrafica**

Minimo ordinabile	1 NR
Peso Netto	0.98 KG
Codice EAN	8001636154220
Codice INTRASTAT	85366990

TechData

Descrizione sintetica	PRESA INTERBLOCCATA
Grado di protezione	IP66/IP67
Serie commerciale	Serie ADVANCE 2
Flangia	106X240MM
Uscita cavo	M25X1,5
Corrente nominale	16A
Poli	2P+T
Frequenza d'impiego	50Hz
Frequenza d'impiego	60Hz
Tensione nominale	200-250V
Colore	BLU
Riferimento Orario	6h

Marchi e Certificazioni

CCC (China)
 China Compulsory Certification mark



I.M.Q. - ENEC 03
 European Norms Electrical Certification



UE
 Dichiarazione di conformità

Norme e Leggi

EN 60309-1 (1999)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2 (1999)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60309-1/A1 (2007)
 [European Standard] Plugs, socket-outlets
 and couplers for industrial purposes. Part 1:
 General requirements



EN 60309-2/A1 (2007)
 [European Standard] Plugs, socket-outlets
 and couplers for industrial purposes. Part 2:
 Dimensional interchangeability requirements
 for pin and contact-tube accessories of
 harmonized configurations



EN 60309-4 (2007)
 [European Standard] Plugs, socket-outlets
 and couplers for industrial purposes.
 Switched socket-outlets and connectors,
 with or without interlock



EN 60309-1/A2 (2012)
 [European Standard] Plugs, socket-outlets
 and couplers for industrial purposes. Part 1:
 General requirements



EN 60309-2/A2 (2012)
 [European Standard] Plugs, socket-outlets
 and couplers for industrial purposes. Part 2:
 Dimensional interchangeability requirements
 for pin and contact-tube accessories of
 harmonized configurations



EN 60309-4/A1 (2012)
 [European Standard] Plugs, socket-outlets
 and couplers for industrial purposes. -
 Switched socket-outlets and connectors,
 with or without interlock

Packaging

Descrizione	Cartone
Quantità	12
Codice EAN	8001636586083
Peso lordo	13,8 KG
Volume	70840 CCM
Dimensioni	280x440x575 (MM)
Descrizione	Scatola
Quantità	1
Codice EAN	8001636586076
Peso lordo	1,15 KG
Volume	4743,75 CCM
Dimensioni	115x275x150 (MM)

Allegati



Istruzioni per l'utilizzo



Disegno tecnico [DWG]

.dwg



Disegno tecnico [PDF]

.pdf



Disegno tecnico [STP]

.stp

Note:

- >
Ingresso aperto filettato
x


- >
Pressacavo incluso
x

- >
Tappo/passacavo filettato incluso
x

- >
Fusibili non forniti
x

- >
Complete di viti di fissaggio in acciaio inox.
x

Articoli Collegati:

	576.4300	SUPPORTO MODULARE 106 COMPATTO ADV2
--	----------	-------------------------------------